

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Pro Beam Long Lasting Fog Fluid

Other means of identification Not available Recommended use Theatrical Fog Recommended restrictions None known.

Manufacturer information Ultratec Special Effects

1960 Blue Heron Drive London, ON N6H 5L9 CA Phone: 1 -519-659-7972

Toll Free Phone: 1-800-388-0617

Emergency Number: ChemTel: 1-800-255-3924

Supplier See above.

2. Hazards Identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None. Signal word None

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

None known

Dispose of waste and residues in accordance with local authority requirements. Disposal

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/Information on Ingredients

Mixture

Skin contact

Chemical name	Common name and synonyms	CAS number	%
1,2-Propanediol		57-55-6	15 - 40*
Triethylene glycol		112-27-6	15 - 40*

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

4. First Aid Measures

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Inhalation

Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or

persists.

#12974 Page: 1 of 7 Issue date 28-March-2019 Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for

15 minutes. Obtain medical attention if irritation develops or persists.

Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain Ingestion

medical attention. Never give anything by mouth if victim is unconscious or is convulsing. Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and delayed

Indication of immediate

Treat symptomatically.

medical attention and special treatment needed **General information**

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

5. Fire Fighting Measures

Alcohol foam. Carbon dioxide. Water Fog. Dry chemical.

Suitable extinguishing media

Unsuitable extinguishing media

Not available.

Specific hazards arising from

the chemical Special protective equipment Firefighters should wear a self-contained breathing apparatus.

Cool containers with flooding quantities of water until well after fire is out.

and precautions for firefighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

Fire-fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and Storage

Precautions for safe handling

Avoid prolonged exposure.

Use good industrial hygiene practices in handling this material.

When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Туре	Value	Form	
TWA	155 mg/m3	Vapor and aerosol.	
	10 mg/m3 50 ppm	Aerosol. Vapor and aerosol.	
		TWA 155 mg/m3 10 mg/m3	TWA 155 mg/m3 Vapor and aerosol. 10 mg/m3 Aerosol.

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueForm1,2-Propanediol (CAS
57-55-6)TWA10 mg/m3Aerosol.Triethylene glycol (CAS
112-27-6)TWA10 mg/m3Particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure quidelinesChemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH or OSHA PEL.

Appropriate engineering

controls

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses recommended.

Skin protection

Hand protection If there is constant skin contact, rubber gloves are recommended.

Other As required by employer code.

Respiratory protection Not normally required if good ventilation is maintained. Where exposure guideline levels may be

exceeded, use an approved NIOSH respirator.

Thermal hazards Not available.

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with

good industrial hygiene and safety practice. When using do not eat or drink.

9. Physical and Chemical Properties

Clear **Appearance Physical state** Liquid. **Form** Liquid Color Colorless no odour Odor **Odor threshold** Not available. pН Neutral Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

Flash point > 249.8 °F (> 121.0 °C) Tag Closed Cup

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1 (Air = 1)

Vapor density> 1 (Air = 1)Relative density1.05Solubility(ies)CompleteAuto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and Reactivity

Reactivity May react with incompatible materials.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability

Stable.

Conditions to avoid

Avoid temperatures exceeding the flash point. Do not mix with other chemicals.

Incompatible materials

Acids. Oxidizers.

Hazardous decomposition products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

IngestionMay cause stomach distress, nausea or vomiting.InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactNo adverse effects due to eye contact are expected.

Symptoms related to the physical, chemical and toxicological characteristics

There are no hazards associated with this product in normal use.

Information on toxicological effects

Acute toxicity

Acute toxicity		
Components	Species	Test Results
1,2-Propanediol (CAS 57-55-6)	
Acute		
<i>Dermal</i> LD50	Rabbit	> 2000 malks, 24 Hours, ECHA
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
		20800 mg/kg, Millipore
<i>Inhalation</i> LC50	Rabbit	> 317042 mg/m3, 2 Hours, ECHA
	Nabbit	> 317042 Highlis, 2 Hours, EGHA
<i>Oral</i> LD50	Dog	19 g/kg, HSDB
	Guinea pig	19700 mg/kg, ECHA
	a amou pig	18.4 g/kg, HSDB
	Mouse	24900 mg/kg, ECHA
	Wedge	23900 mg/kg, HSDB
		23.9 g/kg, HSDB
	Dobbit	
	Rabbit	22.8 g/kg, CCOHS
	5 /	18 g/kg, HSDB
	Rat	19.4 - 36 g/kg, Millipore
		22000 mg/kg, ECHA
		21 g/kg, CCOHS
Triethylene glycol (CAS 112-2)	7-6)	
Acute		
<i>Dermal</i> LD50	Rabbit	22600 mg/kg, HSDB
	. 13.2.1	22460 mg/kg
		16 ml/kg, 24 Hours, ECHA
	Rat	> 5000 mg/kg, Millipore
Inhalation	Nai	> 3000 mg/kg, Millipore
LC50	Rat	> 5.2 mg/l/4h, Millipore
		> 3.9 mg/L, 4 Hours, HSDB
Oral		· 0.0 mg/L, 4 (10013, (1000
LD50	Guinea pig	7900 mg/kg, HSDB
	Mouse	18500 mg/kg, HSDB

Test Results Components **Species** Rabbit 9500 mg/kg, HSDB Rat > 2000 mg/kg, ECHA > 16 ml/kg, ECHA 17000 mg/kg, HSDB

Not expected to be a primary skin irritant. Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Not available. **Exposure minutes** Erythema value Not available. Not available. Oedema value

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

Mutagenicity Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Carcinogenicity US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity** Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard**

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

12. Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological data			
Components		Species	Test Results
1,2-Propanediol (CAS 57-55-	-6)		
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/L, 96 hours
Triethylene glycol (CAS 112-	27-6)		
Crustacea	EC50	Daphnia	42426 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	48.9 - 56 mg/L, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/L, 96 hours
B	lit. Nadatai:	a available on the degradability of this was duet	

Persistence and degradability

No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available. Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Review federal, state/provincial, and local government requirements prior to disposal. Collect and **Disposal instructions**

reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance Nο

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed

#12974 Page: 6 of 7 Issue date 28-March-2019 Triethylene glycol (CAS 112-27-6)

US - New Jersey RTK - Substances: Listed substance

1.2-Propanediol (CAS 57-55-6)

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. Triethylene glycol (CAS 112-27-6) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6) Triethylene glycol (CAS 112-27-6)

US. Rhode Island RTK

1,2-Propanediol (CAS 57-55-6) Triethylene glycol (CAS 112-27-6)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

Listed.

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 28-March-2019

Version # 01

Effective date 28-March-2019

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Prepared by

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)